

(1) No.	(2) Name Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range Intensity	(5) Geo- graphic Range	(6) Structure Ht. above ground Ht. above water	(7) Remarks Year
CALIFORNIA						TWELFTH DISTRICT
SEACOAST						
29	Westdahl Rock Lighted Bell Buoy 1. Fl. W., 6 <sup>s</sup> (1 <sup>st</sup> fl)	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0	140		Black	
30	Point Buchon Lighted Whistle Buoy 2 Fl. W., 6 <sup>s</sup> (1 <sup>st</sup> fl)	In 147 feet 35 14.4 120 54.6	140		Red	
31. 11 601. 11	MORRO BAY WEST BREAKWATER LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1	17 30,000	11	White column	Visible from 207° to 176°. MARKER RADIOBEACON: Antenna at light tower. Unreliable in area east of bearing 306° to shore. See p. XVIII for method of operation. HORN, diaphragm; 1 blast ev 30 <sup>s</sup> (3 <sup>rd</sup> bl). 1965
(For Estero Bay, see No. 601.11)						
32	Von Helm Rock Lighted Gong Buoy 4 Fl. W., 6 <sup>s</sup> (1 <sup>st</sup> fl)	In 140 feet, seaward of rocks. 35 32.2 121 07.0	140		Red	Ra ref.
33	San Simeon Lighted Bell Buoy 1... Fl. W., 6 <sup>s</sup> (1 <sup>st</sup> fl)	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3	120		Black	
34 Q3982	PIEDRAS BLANCAS LIGHT..... Gp. Fl. W., 15 <sup>s</sup> 0.2 <sup>nd</sup> fl., 3.8 <sup>sec</sup> . 0.2 <sup>nd</sup> fl., 10.8 <sup>sec</sup> . 2 flashes. Resident Personnel	On point..... 35 39.9 121 17.1	25 800,000	18	White conical tower with flat top. 74	HORN, diaphragm; 1 blast ev 30 <sup>s</sup> (3 <sup>rd</sup> bl). 1879-1949
35 Q3986	Cape San Martin Light..... Fl. W., 6 <sup>s</sup> (1 <sup>st</sup> fl)	Near end of point of cape. 35 53.3 121 27.8	9 900	21	White pyramidal structure..... 200	1934
36 Q3988	POINT SUR LIGHT..... Fl. W., 15 <sup>s</sup> Resident Personnel.	On westerly end of point 36 18.4 121 54.0	24 500,000	23	Gray square stone tower on fog signal building. 50	RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, diaphragm; 2 blasts ev 60 <sup>s</sup> (3 <sup>rd</sup> bl-3 <sup>rd</sup> si-3 <sup>rd</sup> bl- 51 <sup>st</sup> si). 1889
(Chart 5402)						
37	Point Cypress Lighted Buoy 6. Fl. W., 6 <sup>s</sup> (1 <sup>st</sup> fl)	In 108 feet..... 36 35.0 121 59.0	140		Red	
38 Q3992	POINT PINOS LIGHT..... Occ. W., 30 <sup>s</sup> (20 <sup>th</sup> fl) Resident Personnel.	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0	18 40,000	15	White tower on dwelling..... 43	MARKER RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, diaphragm; 2 blasts ev 30 <sup>s</sup> (2 <sup>nd</sup> bl-2 <sup>nd</sup> si- 2 <sup>nd</sup> bl-24 <sup>th</sup> si). Located 450 yards 336° from light tower. 1855-1907
39	Point Pinos Lighted Whistle Buoy 2 Fl. R., 6 <sup>s</sup> (1 <sup>st</sup> fl) (For Monterey Bay, see No. 609)	In 135 feet, off point, south side of Mon- terey Bay. 36 38.7 121 56.4			Red	Ra ref.
40 620 Q4001	Santa Cruz Light..... Fl. W., 5 <sup>s</sup>	On point, west side of entrance to Santa Cruz Harbor. 36 57.1 122 01.6	17 30,000	13	White lantern house on square brick tower attached to brick building. 39	Visible from 220° to 085°. 1869-1967

(1) No.	(2) Name Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range Intensity	(5) Geo- graphic Range	(6) Structure Ht. above ground Ht. above water	(7) Remarks Year
CALIFORNIA						TWELFTH DISTRICT
SEACOAST						
29	Westdahl Rock Lighted Bell Buoy 1. Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0	140		Black	
30	Point Buchon Lighted Whistle Buoy 2. Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 147 feet 35 14.4 120 54.6	140		Red	
31. 11 601. 11 Q3976	MORRO BAY WEST BREAKWATER LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1	17 30,000	11	White column	Visible from 207° to 176°. MARKER RADIOBEACON: Antenna at light tower. Unreliable in area east of bearing 306° to shore. See p. XVIII for method of operation. HORN, diaphragm; 1 blast ev 30 <sup>s</sup> (3 <sup>s</sup> bl). 1965
(For Estero Bay, see No. 601. 11)						
32	Von Helm Rock Lighted Gong Buoy 4. Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 140 feet, seaward of rocks. 35 32.2 121 07.0	140		Red	Ra ref.
33	San Simeon Lighted Bell Buoy 1... Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3	140		Black	
34 Q3982	PIEDRAS BLANCAS LIGHT..... Gp. Fl. W., 15 <sup>s</sup> 0.2 <sup>s</sup> fl., 3.8 <sup>s</sup> ec. 0.2 <sup>s</sup> fl., 10.8 <sup>s</sup> ec. 2 flashes. Resident Personnel.	On point..... 35 39.9 121 17.1	25 800,000	18	White conical tower with flat top. 74	HORN, diaphragm; 1 blast ev 30 <sup>s</sup> (3 <sup>s</sup> bl). 1879-1949
35 Q3986	Cape San Martin Light..... Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	Near end of point of cape. 35 53.3 121 27.8	9 900	21	White pyramidal structure..... 200	1934
36 Q3988	POINT SUR LIGHT..... Fl. W., 15 <sup>s</sup> Resident Personnel.	On westerly end of point 36 18.4 121 54.0	24 500,000	23	Gray square stone tower on fog signal building. 50	RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, diaphragm, 2 blasts ev 60 <sup>s</sup> (3 <sup>s</sup> bl-3 <sup>s</sup> si-3 <sup>s</sup> bl- 51 <sup>s</sup> si). 1889
(Chart 5402)						
37	Point Cypress Lighted Gong Buoy 6. Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 108 feet..... 36 35.0 121 59.0	140		Red	
38 Q3992	POINT PINOS LIGHT..... Occ. W., 30 <sup>s</sup> (20 <sup>s</sup> fl) Resident Personnel.	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0	18 40,000	15	White tower on dwelling..... 43	MARKER RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, diaphragm; 2 blasts ev 30 <sup>s</sup> (2 <sup>s</sup> bl-2 <sup>s</sup> si- 2 <sup>s</sup> bl-24 <sup>s</sup> si). Located 450 yards 336° from light tower. 1855-1907
39	Point Pinos Lighted Whistle Buoy 2. Fl. R., 6 <sup>s</sup> (1 <sup>s</sup> fl) (For Monterey Bay, see No. 609)	In 135 feet, off point, south side of Mon- terey Bay. 36 38.7 121 56.4			Red	Ra ref.
40 620 Q4002	Santa Cruz Light..... Fl. W., 5 <sup>s</sup>	On point, west side of entrance to Santa Cruz Harbor. 36 57.1 122 01.6	17 30,000	13	White lantern house on square brick tower attached to brick building. 39	Visible from 220° to 085°. 1869-1967

172

(1) No.	(2) Name  Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range Intensity	(5) Geo- graphic Range	(6) Structure Ht. above ground Ht. above water	(7) Remarks Year
CALIFORNIA					TWELFTH DISTRICT	
SEACOAST						
30	Point Buchon Lighted Whistle Buoy 2 Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 147 feet ..... 35 14.4 120 54.6	140	.....	Red .....	
31. 11 601. 11 03976	MORRO BAY WEST BREAKWATER LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1	17 30,000	11	White column ..... 36	Visible from 207° to 176°. MARKER RADIOBEACON: Antenna at light tower. Unreliable in area east of bearing 306° to shore. See p. XVIII for method of operation. HORN, diaphragm; 1 blast ev 30°(3°bl). 1965
(For Estero Bay, see No. 601. 11)						
32	Von Helm Rock Lighted Gong Buoy 4 Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 140 feet, seaward of rocks. 35 32.2 121 07.0	140	.....	Red .....	Ra ref.
33	San Simeon Lighted Bell Buoy 1... Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3	140	.....	Black .....	
34 03982	PIEDRAS BLANCAS LIGHT ..... Gp. Fl. W., 15 <sup>s</sup> 0.2°fl., 3.8°ec. 0.2°fl., 10.8°ec. 2 flashes. Resident Personnel.	On point ..... 35 39.9 121 17.1	25 800,000	18	White conical tower with flat top. 74	HORN, diaphragm; 1 blast ev 30°(3°bl). 1879-1949
35 0 186	Cape San Martin Light ..... Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	Near end of point of cape. 35 53.3 121 27.8	9 900	21	White pyramidal structure ..... 200	1934
36 03988	POINT SUR LIGHT ..... Fl. W., 15 <sup>s</sup> Resident Personnel.	On westerly end of point. 36 18.4 121 54.0	26 1,200,000	22	Gray square stone tower on fog signal building. 250	RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, diaphragm, 2 blasts ev 60°(3°bl-3°si-3°bl-51°si). 1889
(Chart 5402)						
37	Point Cypress Lighted Gong Buoy 6. Fl. W., 6 <sup>s</sup> (1 <sup>s</sup> fl)	In 108 feet ..... 36 35.0 121 59.0	140	.....	Red .....	
38 03992	POINT PINOS LIGHT ..... Occ. W., 30 <sup>s</sup> (20°lt) Resident Personnel.	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0	18 40,000	15	White tower on dwelling ..... 43 89	MARKER RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, diaphragm; 2 blasts ev 30°(2°bl-2°si-2°bl-24°si). Located 450 yards 336° from light tower. 1855-1907 Ra ref.
39	Point Pinos Lighted Whistle Buoy 2 Fl. R., 6 <sup>s</sup> (1 <sup>s</sup> fl) (For Monterey Bay, see No. 609)	In 135 feet, off point, south side of Mon- terey Bay. 36 38.7 121 56.4		.....	Red .....	
40 620 04002	Santa Cruz Light ..... Fl. W., 5 <sup>s</sup>	On point, west side of entrance to Santa Cruz Harbor. 36 57.1 122 01.6	17 30,000	13	White lantern house on square brick tower attached to brick building. 60 39	Visible from 220° to 085°. 1869-1967

173

(1) No.	(2) Name Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range	(5) Ht. above water	(6) Structure Ht. above ground Daymark	(7) Remarks Year
CALIFORNIA						TWELFTH DISTRICT
SEACOAST						
34 03982	PIEDRAS BLANCAS LIGHT ..... Cp. Fl. W., 15 <sup>s</sup> 0.2 <sup>fl.</sup> , 3.8 <sup>sec.</sup> 0.2 <sup>fl.</sup> , 10.8 <sup>sec.</sup> 2 flashes.	On point ..... 35 39.9 121 17.1	25	142	White conical tower with flat top. 74	HORN, 1 blast ev 30 <sup>s</sup> (3 <sup>bl.</sup> ). 1879-1949
35 03986	Cape San Martin Light ..... Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8	9	200	White pyramidal structure ....	1934
36 03988	POINT SUR LIGHT ..... Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0	26	250	Gray square stone tower on fog signal building.	RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, 2 blasts ev 60 <sup>s</sup> (3 <sup>bl.</sup> -3 <sup>si.</sup> -3 <sup>bl.</sup> -51 <sup>si.</sup> ). 1889
(Chart 5402)						
37	Point Cypress Lighted Gong Buoy 6. Fl. W., 6 <sup>s</sup>	In 108 feet. .... 36 35.0 121 59.0	6	....	Red .....	
38 03992	POINT PINOS LIGHT ..... Occ. W., 30 <sup>s</sup> (20 <sup>bl.</sup> )	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0	18	89	White tower on dwelling ..... 43	MARKER RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, 2 blasts ev 30 <sup>s</sup> (2 <sup>bl.</sup> -2 <sup>si.</sup> -2 <sup>bl.</sup> -24 <sup>si.</sup> ). Located 450 yards 336° from light tower. 1855-1907
39	Point Pinos Lighted Whistle Buoy 2 Fl. R., 6 <sup>s</sup> (For Monterey Bay, see No. 609)	In 135 feet, off point, south side of Mon- terey Bay. 36 38.7 121 56.4	5	....	Red .....	Ra ref.
40 620 04001	Santa Cruz Light ..... Fl. W., 5 <sup>s</sup>	On point, west side of entrance to Santa Cruz Harbor. 36 57.1 122 01.6	17	60	White lantern house on square brick tower attached to brick building. 39	Visible from 220° to 085°. 1869-1967
41	Ano Nuevo Island Lighted Whistle Buoy 8. Fl. W., 6 <sup>s</sup>	In 84 feet, 1,650 yards southerly from island. 37 05.8 122 20.4	6	....	Red .....	Ra ref.
42 04006	PIGEON POINT LIGHT ..... Fl. W., 10 <sup>s</sup>	On end of point ..... 37 10.9 122 23.6	24	148	White conical tower ..... 115	Emergency light when main light extinguished. E. Int. W., 6 <sup>s</sup> . RADIOBEACON: Antenna 160 feet 039° from light tower. See p. XVIII for method of operation. HORN, 2 blasts ev 60 <sup>s</sup> (3 <sup>bl.</sup> -3 <sup>si.</sup> -3 <sup>bl.</sup> -51 <sup>si.</sup> ). 1872
43	Pillar Point Harbor Approach Lighted Whistle Buoy PP. Mo. (A) W.	In 120 feet ..... 37 29.7 122 29.0	6	....	Black and white vertical stripes.	Ra ref.
45 04010	Point Montara Light ..... Fl. W., 5 <sup>s</sup>	On point ..... 37 32.2 122 31.1	16	70	White conical tower ..... 30	Emergency light when main light extinguished E. Int. W., 6 <sup>s</sup> . 1875-1928
45.10	Point Montara Lighted Horn Buoy 10A. Fl. W., 4 <sup>s</sup>	In 114 feet ..... 37 32.2 122 32.9	6	....	Red .....	HORN, 1 blast ev 20 <sup>s</sup> (2 <sup>bl.</sup> ). Ra ref.

174

(1) No.	(2) Name Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range	(5) Ht. above water	(6) Structure Ht. above ground Daymark	(7) Remarks Year
CALIFORNIA						TWELFTH DISTRICT
SEACOAST						
34 03982	PIEDRAS BLANCAS LIGHT ..... Gp. Fl. W., 15 <sup>s</sup> 0.2 <sup>fl.</sup> , 3.8 <sup>sec.</sup> 0.2 <sup>fl.</sup> , 10.8 <sup>sec.</sup> 2 flashes.	On point ..... 35 39.9 121 17.1		25 142	White conical tower with flat top. 74	HORN, 1 blast ev 30 <sup>s</sup> (3 <sup>bl.</sup> ). 1879-1949
35 03986	Cape San Martin Light ..... Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8		9 200	White pyramidal structure .....	1934
36 03988	POINT SUR LIGHT ..... Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0		26 250	Gray square stone tower on fog signal building.	RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, 2 blasts ev 60 <sup>s</sup> (3 <sup>bl.</sup> -3 <sup>si.</sup> -3 <sup>bl.</sup> -51 <sup>si.</sup> ). 1889
(Chart 5402) (NO 18260)						
37	Point Cypress Lighted Gong Buoy 6. Fl. W., 6 <sup>s</sup>	In 108 feet ..... 36 35.0 121 59.0		6	Red .....	
38 03992	POINT PINOS LIGHT ..... Occ. W., 30 <sup>s</sup> (20 <sup>fl.</sup> )	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0		18 89	White tower on dwelling ..... 43	MARKER RADIOBEACON: See p. XVIII for method of operation. Antenna at light tower. HORN, 2 blasts ev 30 <sup>s</sup> (2 <sup>bl.</sup> -2 <sup>si.</sup> -2 <sup>bl.</sup> -24 <sup>si.</sup> ). Located 450 yards 336° from light tower. 1855-1907
39	Point Pinos Lighted Whistle Buoy 2. Fl. R., 6 <sup>s</sup>  (For Monterey Bay, see No. 609)	In 198 feet, off point, south side of Mon- terey Bay. 36 38.9 121 56.6		5	Red .....	Ra ref.
40 620 04001	Santa Cruz Light ..... Fl. W., 5 <sup>s</sup>	On point, west side of entrance to Santa Cruz Harbor. 36 57.1 122 01.6		17 60	White lantern house on square brick tower attached to brick building. 39	Visible from 220° to 085°. 1869-1967
41	Ano Nuevo Island Lighted Whistle Buoy 8. Fl. W., 6 <sup>s</sup>	In 84 feet, 1,650 yards southerly from island. 37 05.8 122 20.4		6	Red .....	Ra ref.
42 04006	PIGEON POINT LIGHT ..... Fl. W., 10 <sup>s</sup>	On end of point ..... 37 10.9 122 23.6		25 148	White conical tower ..... 115	Emergency light when main light extinguished, E. Int. W., 6 <sup>s</sup> . RADIOBEACON: Antenna 160 feet 039° from light tower. See p. XVIII for method of operation. HORN, 2 blasts ev 60 <sup>s</sup> (3 <sup>bl.</sup> -3 <sup>si.</sup> -3 <sup>bl.</sup> -51 <sup>si.</sup> ). 1872
43	Pillar Point Harbor Approach Lighted Whistle Buoy PP. Mo. (A) W.	In 120 feet ..... 37 29.7 122 29.0		6	Black and white vertical stripes.	Ra ref.
45 04010	Point Montara Light ..... Fl. W., 5 <sup>s</sup>	On point ..... 37 32.2 122 31.1		16 70	White conical tower ..... 30	Emergency light when main light extinguished E. Int. W., 6 <sup>s</sup> . 1875-1928
45.10	Point Montara Lighted Horn Buoy 10A. Fl. W., 4 <sup>s</sup>	In 114 feet ..... 37 32.2 122 32.9		6	Red .....	HORN, 1 blast ev 20 <sup>s</sup> (2 <sup>bl.</sup> ). Ra ref.



125

(1) No.	(2) Name Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range	(5) Ht. above water	(6) Structure Ht. above ground Daymark	(7) Remarks Year
CALIFORNIA						TWELFTH DISTRICT
	SEACOAST (Chart 5302) (Chart 18700)					
31	<i>Santa Rock Lighted Gong Buoy</i> I. Qk. Fl. R.	In 118 feet, southwest of rock. 35 07.7 120 44.4		4	.... Red and black horizontal bands.	
32 G3972	SAN LUIS OBISPO LIGHT Fl. W. 20 <sup>s</sup>	On Point San Luis west side of bay. 35 09.6 120 45.6		21 130 40	White square tower on dwelling.	RBN: 320 kHz (---●---) VI. Antenna 275 yards 002° from light tower. HORN, 2 blasts ev 60 <sup>s</sup> (3 <sup>s</sup> bl-3 <sup>s</sup> si-3 <sup>s</sup> bl-51 <sup>s</sup> si). 1890
	(For San Luis Obispo Bay see No. 517)					
33	<i>Westdahl Rock Lighted Bell Buoy</i> I. Fl. W., 6 <sup>s</sup>	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0		6	.... Black	
34	<i>Point Buchon Lighted Whistle</i> Buoy 2. Fl. W., 6 <sup>s</sup>	In 147 feet 35 14.4 120 54.6		6	.... Red	
35 518 G3976	MORRO BAY WEST BREAKWATER LIGHT Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1		17 36	White column	Visible from 207° to 176°. MRK RBN: 310 kHz. Antenna at light tower. Unreliable in area east of bearing 306° to shore. HORN, 1 blast ev 30 <sup>s</sup> (3 <sup>s</sup> bl). 1965
	(For Estero Bay, see No. 518)					
36	<i>Von Holm Rock Lighted Gong</i> Buoy 4. Fl. W., 6 <sup>s</sup>	In 140 feet, seaward of rocks. 35 32.2 121 07.0		6	.... Red	Ra ref.
37	<i>San Simeon Lighted Bell Buoy</i> Fl. W., 6 <sup>s</sup>	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3		6	.... Black	
38 G3982	PIEDRAS BLANCAS LIGHT Gp. Fl. W., 15 <sup>s</sup> 0.2 <sup>s</sup> fl., 3.8 <sup>s</sup> ec. 0.2 <sup>s</sup> fl., 10.8 <sup>s</sup> ec. 2 flashes.	On point 35 39.9 121 17.1		25 142 74	White conical tower with flat top.	1849-1949
38, 10	<i>Piedras Blancas Lighted Horn</i> Buoy 4A. Fl. R., 4 <sup>s</sup>	In 186 feet		4	.... Red	HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>s</sup> bl). Operates con- tinuously. 1934
39 G3986	Cape San Martin Light Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8		7 200	White pyramidal structure	
40 G3988	POINT SUR LIGHT Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0		26 250	Gray square stone tower on fog signal building.	RBN: 320 kHz (---●---) V; Antenna at light tower. HORN, 2 blasts ev 60 <sup>s</sup> (3 <sup>s</sup> bl-3 <sup>s</sup> si-3 <sup>s</sup> bl-51 <sup>s</sup> si). Operates Continuously. 1889

## SEACOAST

## CALIFORNIA

## TWELFTH DISTRICT

(1)	(2)	(3)		(4)	(5)		(6)	(7)		
No.	Name	Location		Nominal Range	Ht. above water	Ht. above ground	Structure	Daymark	Remarks	Year
Characteristic	Lat. N.	Long. W.								
(Chart 5302) (Chart 18700)										
31	Souza Rock Lighted Gong Buoy ... I. Qk. Fl. R.	In 118 feet, southwest of rock. 35 07.7 120 44.4		4	....	Red and black horizontal bands.				
32 03972	SAN LUIS OBISPO LIGHT Fl. W., 5 <sup>s</sup>	On point San Luis west side of bay. 35 09.6 120 45.6		24	116	On pole .....			RBN: 288 kHz (... ..) Antenna at light tower. Light operates con- tinuous. HORN: 2 blasts ev 60 <sup>s</sup> (3 <sup>bl</sup> -3 <sup>si</sup> -3 <sup>bl</sup> -51 <sup>si</sup> ). 1890-1975	
(For San Luis Obispo Bay see No. 517)										
33	Westdahl Rock Lighted Bell Buoy 1. Fl. W., 6 <sup>s</sup>	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0		6	....	Black .....			Ra ref.	
34	Point Buchon Lighted Whistle Buoy 2. Fl. W., 6 <sup>s</sup>	In 147 feet .....		6	....	Red .....			Ra ref.	
35 518 03976	MORRO BAY WEST BREAKWATER LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1		17	36	White column .....			Visible from 207° to 176°. MRK RBN: 310 kHz. Antenna at light tower. Unreliable in area east of bearing 306° to shore HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). 1965	
(For Estero Bay, see No. 518)										
36	Von Helm Rock Lighted Gong Buoy 4. Fl. W., 6 <sup>s</sup>	In 140 feet, seaward of rocks. 35 32.2 121 07.0		6	....	Red .....			Ra ref.	
37	San Simeon Lighted Bell Buoy 1 ... Fl. W., 6 <sup>s</sup>	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3		6	....	Black .....			Ra ref.	
38 03982	PIEDRAS BLANCAS LIGHT Fl. W., 10 <sup>s</sup>	On point .....		25	142	White conical tower with flat top. 74				1879-1949
38. 10	Piedras Blancas Lighted Hom Buoy 4A. Fl. R., 4 <sup>s</sup>	In 186 feet .....		4	....	Red .....			Ra ref. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). Operates con- tinuously. 1934	
39 03986	Cape San Martin Light Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8		7	200	White pyramidal structure .....				
40 03988	POINT SUR LIGHT Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0		26	250	Gray square stone tower on fog signal building.			RBN: 320 kHz (... ..) V. Antenna at light tower. HORN: 2 blasts ev 60 <sup>s</sup> (3 <sup>bl</sup> -3 <sup>si</sup> -3 <sup>bl</sup> -51 <sup>si</sup> ). Operates Continuously. 1889	
(Chart 5402) (Chart 18680)										
41	Point Cypress Lighted Gong Buoy 6. Fl. W., 6 <sup>s</sup>	In 108 feet .....		6	....	Red .....			Ra ref.	

177

SEACOAST		CALIFORNIA			TWELFTH DISTRICT				
(1)	(2)	(3)		(4)	(5)	(6)	(7)		
	Name	Location		Nominal	Ht.	Structure			
No.	Characteristic	Lat. N.	Long. W.	Range	above water	Ht. above ground	Daymark	Remarks	Year
(Chart 18700)									
31	<i>Souza Rock Lighted Gong Buoy</i> ... I. Qk. Fl. R.	In 118 feet, southwest of rock. 35 07.7 120 44.4		4	....	Red and black horizontal bands.			
32 G3972	<b>SAN LUIS OBISPO LIGHT</b> ..... Fl. W., 5 <sup>s</sup>	On point San Luis west side of bay. 35 09.6 120 45.6		24	116	On pole .....		RBN: 288 kHz (....-....). Antenna located 275 yards 002° from light tower. Light operates continuously. HORN: 2 blasts ev 60 <sup>s</sup> (3 <sup>bl</sup> -3 <sup>si</sup> -3 <sup>bl</sup> -51 <sup>si</sup> ). 1890-1975	
(For San Luis Obispo Bay see No. 517)									
33	<i>Westdahl Rock Lighted Bell Buoy</i> 1. Fl. W., 6 <sup>s</sup>	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0		6	....	Black .....		Ra ref.	
34	<i>Point Buchon Lighted Whistle</i> Buoy 2. Fl. W., 6 <sup>s</sup>	In 147 feet ..... 35 14.4 120 54.6		6	....	Red .....		Ra ref.	
35 518 G3976	<b>MORRO BAY WEST BREAKWATER</b> LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1		17	36	White column .....		Visible from 207° to 176°. MRK RBN: 310 kHz. Antenna at light tower. Unreliable in area east of bearing 306° to shore. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). 1965	
(For Estero Bay, see No. 518)									
36	<i>Von Helm Rock Lighted Gong</i> Buoy 4. Fl. W., 6 <sup>s</sup>	In 140 feet, seaward of rocks. 35 32.2 121 07.0		6	....	Red .....		Ra ref.	
37	<i>San Simeon Lighted Bell Buoy 1</i> .. Fl. W., 6 <sup>s</sup>	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3		6	....	Black .....		Ra ref.	
38 G3982	<b>PIEDRAS BLANCAS LIGHT</b> ..... Fl. W., 10 <sup>s</sup>	On point ..... 35 39.9 121 17.1		25	142	White conical tower with flat top. 74		RBN: 296 kHz (....-....). 1879-1949	
38. 10	<i>Piedras Blancas Lighted Horn</i> Buoy 4A. Fl. R., 4 <sup>s</sup>	In 186 feet .....		4	....	Red .....		Ra ref. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). Operates con- tinuously. 1934	
39 G3986	<b>Cape San Martin Light</b> ..... Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8		7	200	White pyramidal structure .....			1934
40 G3988	<b>POINT SUR LIGHT</b> ..... Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0		26	250	Gray square stone tower on fog signal building.		RBN: 320 kHz (....-....) V. Antenna at light tower. 1889	
(Chart 18680)									
41	<i>Point Cypress Lighted Gong</i> Buoy 6. Fl. W., 6 <sup>s</sup>	In 108 feet ..... 36 35.0 121 59.0		6	....	Red .....		Ra ref.	
42 G3992	<b>POINT PINOS LIGHT</b> ..... Occ. W., 4 <sup>s</sup> (3 <sup>bl</sup> lt)	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0		17	89 43	White tower on dwelling .....		RBN: 290 kHz. (....-....). Antenna at light tower. HORN: 2 blasts ev 30 <sup>s</sup> (2 <sup>bl</sup> -2 <sup>si</sup> -2 <sup>bl</sup> -24 <sup>si</sup> ). Located 450 yards 336° from light tower. 1855-1907	



## SEACOAST

## CALIFORNIA

## TWELFTH DISTRICT

(1) No.	(2) Name Characteristic	(3) Location Lat. N. Long. W.	(4) Nominal Range	(5) Ht. above water	(6) Structure Ht. above ground Daymark	(7) Remarks Year
(Chart 18700)						
31	<i>Souza Rock Lighted Gong Buoy ...</i> I. Qk. Fl. R.	In 118 feet, southwest of rock. 35 07.7 120 44.4		4	.... Red and black horizontal bands.	
32 03972	<b>SAN LUIS OBISPO LIGHT</b> Fl. W., 5 <sup>s</sup>	On point San Luis west side of bay. 35 09.6 120 45.6		24	116 On pole .....	RBN: 288 kHz (... ..). Antenna located 275 yards 002° from light tower. Light operates continuously. HORN: 2 blasts ev 60 <sup>s</sup> (3 <sup>bl</sup> -3 <sup>si</sup> -3 <sup>bl</sup> -51 <sup>si</sup> ). 1890-1975
(For San Luis Obispo Bay see No. 517)						
33	<i>Westdahl Rock Lighted Bell Buoy</i> I. Fl. W., 6 <sup>s</sup>	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0		6	.... Black .....	Ra ref.
34	<i>Point Buchon Lighted Whistle</i> Buoy 2. Fl. W., 6 <sup>s</sup>	In 147 feet ..... 35 14.4 120 54.6		6	.... Red .....	Ra ref.
35 518 03976	<b>MORRO BAY WEST BREAKWATER</b> LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1		17	36 White column .....	Visible from 207° to 176°. MRK RBN: 310 kHz. Antenna at light tower. Unreliable in area east of bearing 306° to shore. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). 1965
(For Estero Bay, see No. 518)						
36	<i>Von Helm Rock Lighted Gong</i> Buoy 4. Fl. W., 6 <sup>s</sup>	In 140 feet, seaward of rocks. 35 32.2 121 07.0		6	.... Red .....	Ra ref.
37	<i>San Simeon Lighted Bell Buoy 1 ..</i> Fl. W., 6 <sup>s</sup>	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3		6	.... Black .....	Ra ref.
38 03982	<b>PIEDRAS BLANCAS LIGHT</b> Fl. W., 10 <sup>s</sup>	On point ..... 35 39.9 121 17.1		25	142 White conical tower with flat top. 74	RBN: 296 kHz (... ..). Antenna on light tower. 1879-1949
38, 10	<i>Piedras Blancas Lighted Horn</i> Buoy 4A. Fl. R., 4 <sup>s</sup>	In 186 feet ..... 35 53.3 121 27.8		4	.... Red .....	Ra ref. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). Operates con- tinuously. 1934
39 03986	<i>Cape San Martin Light</i> ..... Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8		7	200 White pyramidal structure .....	
40 03988	<b>POINT SUR LIGHT</b> ..... Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0		26	250 Gray square stone tower on fog signal building.	RBN: 322 kHz (... ..) Antenna at light tower. 1889
(Chart 18680)						
41	<i>Point Cypress Lighted Gong</i> Buoy 6. Fl. W., 6 <sup>s</sup>	In 108 feet ..... 36 35.0 121 59.0		6	.... Red .....	Ra ref.
42 03992	<b>POINT PINOS LIGHT</b> ..... Occ. W., 4 <sup>s</sup> (3 <sup>bl</sup> lt)	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0		17	89 White tower on dwelling 43	RBN: 290 kHz. (... ..). Antenna at light tower. HORN: 2 blasts ev 30 <sup>s</sup> (2 <sup>bl</sup> -2 <sup>si</sup> -2 <sup>bl</sup> -24 <sup>si</sup> ). Located 450 yards 336° from light tower. 1855-1907

SEACOAST		CALIFORNIA			TWELFTH DISTRICT					
(1)	(2)	(3)		(4)	(5)	(6)	(7)			
No.	Name	Location		Nominal Range	Ht. above water	Ht. above ground	Structure	Daymark	Remarks	Year
(Chart 18700)										
31	Souza Rock Lighted Gong Buoy ... I. Qk. Fl. R.	In 118 feet, southwest of rock. 35 07.7 120 44.4			4	....	Red and black horizontal bands.			
32 03972	SAN LUIS OBISPO LIGHT Fl. W., 5 <sup>s</sup>	On point San Luis west side of bay. 35 09.6 120 45.6			24	116	On pole		RBN: 288 kHz SL(••• ••••). Antenna located 275 yards 002° from light tower. Light operates continuously. HORN: 2 blasts ev 60 <sup>s</sup> (3 <sup>bl</sup> -3 <sup>si</sup> -3 <sup>bl</sup> -51 <sup>si</sup> ). 1890-1975	
(For San Luis Obispo Bay see No. 517)										
33	Westdahl Rock Lighted Bell Buoy I. Fl. W., 6 <sup>s</sup>	In 110 feet, 245 yards 239° from rock. 35 08.8 120 47.0			6	....	Black		Ra ref.	
34	Point Buchon Lighted Whistle Buoy 2. Fl. W., 6 <sup>s</sup>	In 147 feet 35 14.4 120 54.6			6	....	Red		Ra ref.	
35 518 03976	MORRO BAY WEST BREAKWATER LIGHT. Fl. W., 5 <sup>s</sup>	On end of breakwater. 35 21.8 120 52.1			15	36	White column		Obscured from 176° to 207°. MRK RBN: 310 kHz. Antenna at light tower. Unreliable in area east of bearing 306° to shore. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). 1965	
(For Estero Bay, see No. 518)										
36	Von Helm Rock Lighted Gong Buoy 4. Fl. W., 6 <sup>s</sup>	In 140 feet, seaward of rocks. 35 32.2 121 07.0			6	....	Red		Ra ref.	
37	San Simeon Lighted Bell Buoy 1. Fl. W., 6 <sup>s</sup>	In 60 feet, southeast of San Simeon Point. 35 37.7 121 11.3			6	....	Black		Ra ref.	
38 03982	PIEDRAS BLANCAS LIGHT Fl. W., 10 <sup>s</sup>	On point 35 39.9 121 17.1			25	142	White conical tower with flat top. 74		RBN: 296 kHz PB(•••• ••••). Antenna on light tower. 1879-1949	
38, 10	Piedras Blancas Lighted Horn Buoy 4A. Fl. R., 4 <sup>s</sup>	In 186 feet			4	....	Red		Ra ref. HORN: 1 blast ev 30 <sup>s</sup> (3 <sup>bl</sup> ). Operates continuously. 1934	
39 03986	Cape San Martin Light Fl. W., 6 <sup>s</sup>	Near end of point of cape. 35 53.3 121 27.8			7	200	White pyramidal structure			
40 03988	POINT SUR LIGHT Fl. W., 15 <sup>s</sup>	On westerly end of point. 36 18.4 121 54.0			25	250	Gray square stone tower on fog signal building.		RBN: 322 kHz S(••••). Antenna at light tower. 1889	
(Chart 18680)										
41	Point Cypress Lighted Gong Buoy 6. Fl. W., 6 <sup>s</sup>	In 108 feet 36 35.0 121 59.0			6	....	Red		Ra ref.	
42 03992	POINT PINOS LIGHT Occ. W., 4 <sup>s</sup> (3 <sup>bl</sup> .)	On point, south side of entrance to Monterey Bay. 36 38.0 121 56.0			17	89	White tower on dwelling 43		RBN: 290 kHz P(•••••). Antenna at light tower. HORN: 2 blasts ev 30 <sup>s</sup> (2 <sup>bl</sup> -2 <sup>si</sup> -2 <sup>bl</sup> -24 <sup>si</sup> ). Located 450 yards 336° from light tower. 1855-1907	